



CONTRA

#

039068

STATE OF UTAH CONTRACT

1. CONTRACTING PARTIES: This contract is between the following Agency of the State of Utah:

Dept. of Transportation	810	Proc./Region Two	referred to as STATE and the following:
Agency Name	Agency Code	Division	
CONTRACTOR	Utah Barricade Company Inc.		LEGAL STATUS OF CONTRACTOR
Name			<input type="checkbox"/> Sole Proprietor
3232 South Redwood Road			<input type="checkbox"/> Non-Profit Corporation
Address			<input checked="" type="checkbox"/> For-Profit Corporation
West Valley	UT	84119	<input type="checkbox"/> Partnership
City	State	Zip Code	<input type="checkbox"/> Government Agency
Cheryl Johnson	(801) 973-9800		
Contact Person	Phone Number		
870442979	02291C	98176000000	
Federal ID#	Vendor Number	Commodity Code(s)	

2. CONTRACT TYPE AND PURPOSE:

This is a requirements contract to provide the State with traffic control and traffic control devices.

3. PROCUREMENT: This contract is entered into as a result of the Procurement process on bid JG3016-1,
Requisition # 810 36000000028, FY 2003.
4. CONTRACT PERIOD: Effective date 10/03/02, Termination date 10/02/03, unless terminated early or
extended in accordance with the terms of this contract. Renewal Options (if any) 3 One year.
5. CONTRACT COSTS: CONTRACTOR will be paid a maximum of \$999,999,999.99 for costs authorized by this contract
6. ATTACHMENT A: Division of Purchasing's Standard Terms and Conditions.
ATTACHMENT B: Scope of Work.
ATTACHMENT C: Itemized Price List.
ATTACHMENT D: Special Terms and Conditions.
Any conflicts between Attachment A and other Attachments will be resolved in favor of Attachment A.

7. DOCUMENTS INCORPORATED INTO THIS CONTRACT BY REFERENCE BUT NOT ATTACHED:

- A. All other governmental laws, regulations or actions applicable to the goods and/or services authorized by this Contract.
B. Utah State Procurement Code, Procurement Rules and Contractor's responses to Bid # JG3016 dated 10/01/02.

IN WITNESS WHEREOF, the parties sign and cause this contract to be executed.

CONTRACTOR
SEE ATTACHED

Contractor's Signature
CHERYL JOHNSON

Contractor's Name
PRESIDENT

Title

STATE OF UTAH

David K. Miles, Operations Engineer

Director, Division of Purchasing

Director, Division of Finance

CONTRACT RECEIVED AND
PROCESSED BY
DIVISION OF FINANCE

OCT 2 5 2002

ENT'D MAR 11 2005

JUL 23 2005

Debra Boulton	(801) 965-4070	(801) 965-4073	dboulton@utah.gov
Agency Contact Person	Fax Number	Fax Number	Email Address

039068

MAIL TO:

Invitation to Bid

Solicitation Number: JG3016-1

STATE OF UTAH
DIVISION OF PURCHASING
3150 STATE OFFICE BUILDING, CAPITOL HILL
P.O. BOX 141061
SALT LAKE CITY, UTAH 84114-1061
TELEPHONE (801) 538-3026
http://www.purchasing.state.ut.us



Due Date: 10/01/02 @ 2:00 p.m.

Date Sent: September 11, 2002

Agency Contract

JG3016-1 209338 SRC 94700
UTAH BARRICADE
3232 SOUTH REDWOOD ROAD
WEST VALLEY CITY UT 84119-3204

Goods and services to be purchased: "IN-LIEU OF PREVIOUS BID" - PROVIDE TRAFFIC CONTROL AND TRAFFIC CONTROL DEVICES

Please complete

Company Name UTAH BARRICADE COMPANY, INC.		Federal Tax Identification Number #87-0442979	
Ordering Address 3232 SOUTH REDWOOD ROAD	City WEST VALLEY	State UT	Zip Code 84119
Remittance Address (if different from ordering address)	City	State	Zip Code
Type <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Proprietorship <input type="checkbox"/> Government <input type="checkbox"/>	Company Contact Person CHERYL JOHNSON		
Telephone Number (include area code) (801) 973-9800	Fax Number (include area code) (801) 973-8044		
Company's Internet Web Address	Email Address cheryl@utahbarricade.com		
Discount Terms (for bid purposes, bid discounts less than 30 days will not be considered)	Days Required for Delivery After Receipt of Order (see attached for any required minimums)		
<p>The following documents are included in this solicitation: Solicitation forms, instructions and general provisions, and specifications. <u>Please review all documents carefully before completing.</u></p> <p>The undersigned certifies that the goods or services offered are produced, mined, grown, manufactured, or performed in Utah. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If no, enter where produced, etc. _____</p>			
Offeror's Authorized Representative's Signature 		Date OCTOBER 1, 2002	
Type or Print Name CHERYL JOHNSON		Position or Title PRESIDENT	

ATTACHMENT A: STANDARD TERMS AND CONDITIONS

1. **AUTHORITY:** Provisions of this contract are pursuant to the authority set forth in 63-56, Utah Code Annotated, 1953, as amended, Utah State Procurement Rules (Utah Administrative Code Section R33), and related statutes which permit the STATE to purchase certain specified services, and other approved purchases for the STATE.
2. **CONTRACT JURISDICTION, CHOICE OF LAW, AND VENUE:** The provisions of this contract shall be governed by the laws of the State of Utah. The parties will submit to the jurisdiction of the courts of the State of Utah for any dispute arising out of this Contract or the breach thereof. Venue shall be in Salt Lake City, in the Third Judicial District Court for Salt Lake County.
3. **LAWS AND REGULATIONS:** Any and all supplies, services and equipment furnished will comply fully with all applicable Federal and State laws and regulations.
4. **RECORDS ADMINISTRATION:** The CONTRACTOR shall maintain, or supervise the maintenance of all records necessary to properly account for the payments made to the CONTRACTOR for costs authorized by this contract. These records shall be retained by the CONTRACTOR for at least four years after the contract terminates, or until all audits initiated within the four years, have been completed, whichever is later. The CONTRACTOR agrees to allow STATE and Federal auditors, and STATE Agency Staff, access to all the records to this contract, for audit and inspection, and monitoring of services. Such access will be during normal business hours, or by appointment.
5. **CONFLICT OF INTEREST:** CONTRACTOR represents that none of its officers or employees are officers or employees of the State of Utah, unless disclosure has been made in accordance with 67-16-8, Utah Code Annotated, 1953, as amended.
6. **CONTRACTOR, AN INDEPENDENT CONTRACTOR:** The CONTRACTOR shall be an independent contractor, and as such, shall have no authorization, express or implied, to bind the STATE to any agreements, settlements, liability, or understanding whatsoever, and agrees not to perform any acts as agent for the STATE, except as herein expressly set forth. Compensation stated herein shall be the total amount payable to the CONTRACTOR by the STATE. The CONTRACTOR shall be responsible for the payment of all income tax and social security amounts due as a result of payments received from the STATE for these contract services. Persons employed by the STATE and acting under the direction of the STATE shall not be deemed to be employees or agents of the CONTRACTOR.
7. **INDEMNITY CLAUSE:** The CONTRACTOR agrees to indemnify, save harmless, and release the STATE OF UTAH, and all its officers, agents, volunteers, and employees from and against any and all loss, damages, injury, liability, suits, and proceedings arising out of the performance of this contract which are caused in whole or in part by the negligence of the CONTRACTOR'S officers, agents, volunteers, or employees, but not for claims arising from the State's sole negligence.
8. **EQUAL OPPORTUNITY CLAUSE:** The CONTRACTOR agrees to abide by the provisions of Title VI and VII of the Civil Rights Act of 1964 (42USC 2000e) which prohibits discrimination against any employee or applicant for employment or any applicant or recipient of services, on the basis of race, religion, color, or national origin; and further agrees to abide by Executive Order No. 11246, as amended, which prohibits discrimination on the basis of sex; 45 CFR 90 which prohibits discrimination on the basis of age; and Section 504 of the Rehabilitation Act of 1973, or the Americans with Disabilities Act of 1990 which prohibits discrimination on the basis of disabilities. Also, the CONTRACTOR agrees to abide by Utah's Executive Order, dated March 17, 1993, which prohibits sexual harassment in the work place.
9. **SEPARABILITY CLAUSE:** A declaration by any court, or any other binding legal source, that any provision of this contract is illegal and void shall not affect the legality and enforceability of any other provision of this contract, unless the provisions are mutually dependent.
10. **RENEGOTIATION OR MODIFICATIONS:** This contract may be amended, modified, or supplemented only by written amendment to the contract, executed by the parties hereto, and attached to the original signed copy of the contract.
11. **DEBARMENT:** The CONTRACTOR certifies that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction (contract), by any governmental department or agency. If the CONTRACTOR cannot certify this statement, attach a written explanation for review by the STATE.
12. **TERMINATION:** Unless otherwise stated in the Special Terms and Conditions, this contract may be terminated, with cause by either party, in advance of the specified termination date, upon written notice being given by the other party. The party in violation will be given ten (10) working days after notification to correct and cease the violations, after which the contract may be terminated for cause. This contract may be terminated without cause, in advance of the specified expiration date, by either party, upon 90 days prior written notice being given the other party. On termination of this contract, all accounts and payments will be processed according to the financial arrangements set forth herein for approved services rendered to date of termination.
13. **SALES TAX EXEMPTION:** The State of Utah's sales and use tax exemption number is E33399. The tangible personal property or services being purchased are being paid from State funds and used in the exercise of that entity's essential functions. If the items being purchased are construction materials, they will be converted into real property by employees of this government entity, unless otherwise stated in the contract.
14. **WARRANTY:** The contractor agrees to warrant and assume responsibility for all products (including hardware, firmware, and/or software products) that it licenses, contracts, or sells to the State of Utah under this contract for a period of one year, unless otherwise specified and mutually agreed upon elsewhere in this contract. The contractor (seller) acknowledges that all warranties granted to the buyer by the Uniform Commercial Code of the State of Utah apply to this contract. Product liability disclaimers and/or warranty disclaimers from the seller are not applicable to this contract unless otherwise specified and mutually agreed upon elsewhere in this contract. In general, the contractor warrants that: (1) the product will do what the salesperson said it would do, (2) the product will live up to all specific claims that the manufacturer makes in their advertisements, (3) the product will be suitable for the ordinary purposes for which such product is used, (4) the product will be suitable for any special purposes that the State has relied on the contractor's skill or judgement to consider when it advised the State about the product, (5) the product has been properly designed and manufactured, and (6) the product is free of significant defects or unusual problems about which the State has not been warned. Remedies available to the State include the following: The contractor will repair or replace (at no charge to the State) the product whose nonconformance is discovered and made known to the contractor in writing. If the repaired and/or replaced product proves to be inadequate, or fails of its essential purpose, the contractor will refund the full amount of any payments that have been made. Nothing in this warranty will be construed to limit any rights or remedies the State of Utah may otherwise have under this contract.
15. **PUBLIC INFORMATION:** Contractor agrees that the contract will be a public document, as to distribution of copies, and Contractor gives the STATE express permission to make copies of the contract and/or of the response to the solicitation in accordance with the State of Utah Government Records Access and Management Act. The permission to make copies as noted will take precedence over any statements of confidentiality, proprietary information, copyright information, or similar notation.

(Revision date: Apr 24, 2002)

ATTACHMENT B: SCOPE OF WORK

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. This contract shall consist of providing and maintaining temporary traffic control devices for maintenance activities on the interstate freeway and other high traffic volume systems, plus all equipment and vehicles necessary. This contract will be for one year with three one year renewal options.
- B. A traffic control supervisor, certified by the Department of Transportation or the American Traffic Safety Services Association with two years experience shall be present at all traffic control installations.
- C. All communications between the Contractor and the Station Supervisors will be recorded in the Station Supervisor's diary and be signed by both parties.
- D. The Contractor shall meet with the Station Supervisor at the job site within 18 hours after notification to determine the requirements for traffic control devices.
- E. All devices shall be in place within 24 hours of notification to proceed. They shall be placed in accordance with the MUTCD or an approved traffic control plan from the Traffic Engineer.
- F. Signs and barricades shall be accordance with the State's Standard Specifications.
- G. In an emergency situation, the Station Supervisor will notify the Contractor of the location, the extent of traffic control needed, the required signs, barricades and advance warning devices. The Contractor shall have traffic control set up within one hour of notification.
- H. The Contractor shall at all times conduct his work to protect the safety of the traveling public, residents and property to ensure minimal obstructions to traffic.
- I. The Contract shall monitor, inspect and maintain all traffic control devices at least every ½ hour.
- J. Contract shall provide enough labor, equipment and material to be able to do at least six set ups in different locations in a day as required.

PART 2 CONTROL OF WORK

2.1 AUTHORITY AND DUTIES OF THE REGION

- A. The State will decide all questions regarding the quality and acceptability of materials furnished, work performed, rate of work progress, interpretation of the contract documents and the acceptable fulfillment of the contract.
- B. The State has the authority by written order to suspend the work without liability to the Department wholly or in part if the Contractor fails to:
 - 1. Correct conditions unsafe for the project personnel or the public.
 - 2. Complete contract provisions.
 - 3. Comply with the Region's orders.
- C. The State can suspend work wholly or in part for:
 - 1. Periods of unsuitable weather.
 - 2. Conditions unsuitable for the prosecution of the work.
 - 3. Any other condition or reason determined to be in the State's interest.

2.2 CONTRACTORS COOPERATION

- A. Facilitate progress of the work and cooperate with the Station Supervisors.
- B. Supply all necessary resources to complete the contract regardless of the amount of work sublet.

2.3 DUTIES OF THE STATION SUPERVISORS

- A. Supervisors and leads are authorized to inspect all work and materials furnished.
 - 1. Inspection may extend to the preparation, fabrication or manufacture of the materials to be used.
 - 2. Supervisors and leads are not authorized to alter or waive the contract provisions, to issue instructions contrary to the contract or to act as foreman for the Contractor.
 - 3. Supervisors and leads are authorized to reject work or materials until any issue in question can be referred to and decided by the Region.

2.4 INSPECTION OF THE WORK

- A. Provide safe access to all parts of the work and provide information and assistance to the State to ensure a complete and detailed inspection.

2.5 REMOVAL OF UNACCEPTABLE AND UNAUTHORIZED WORK

- A. Remove and replace any unacceptable work. Work will be considered unacceptable if it fails to meet the contract requirements.
- B. Work performed contrary to the State's instruction, work beyond plan limits or extra work performed without the State's permission:
 - 1. Is excluded from pay consideration.
 - 2. May be ordered removed, restored or replaced by others at the Contractor's expense.

2.6 LOAD RESTRICTIONS

- A. Observe legal load restrictions when hauling equipment or materials on public roads beyond project limits:
 - 1. A special permit does not decrease Contractor liability for damage.
 - 2. Refer to the "Utah Regulations for Legal and Permitted Vehicles".
- B. Do not exceed legal gross weight limits on any public roads, structures or on any component of the pavement structure excluding granular borrow.
- C. Suspend construction operations when load restriction violations are observed until acceptable corrective measures are approved by the Engineer.

TRAFFIC CONTROL SUPERVISOR

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Traffic Control Supervisor.
- B. Must be certified by the State or by the American Traffic Safety Services.
- C. Authority:
 - 1. Obtains and uses all labor, equipment and materials necessary to maintain traffic control as specified by the Station Supervisor ordering the traffic control.
- D. Responsibilities and duties include but not limited to:
 - 1. Oversees all traffic control operations.
 - 2. Remains available 24 hours a day, seven days per week and can be on-site within 45 minutes of notification.
 - 3. Corrects deficiencies within specified time not to exceed 24 hours.
 - 4. Inspects all traffic control devices at least every half-hour.
 - 5. Completes a daily record of traffic control activities using a form acceptable to the Station Supervisor.

TRAFFIC CONTROL

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Furnish, install, relocate, maintain and remove work zone traffic control devices as required.
- B. Advance warning arrow panel - Type "C" stationary.
- C. Construction sign.
- D. Barricade - Type II and Type III.
- E. Plastic barrels.

1.2 REFERENCES

- A. Manual on Uniform Traffic Control Devices, Latest Edition (MUTCD).
- B. Utah Department of Transportation, Standard Specifications for Road and Bridge Construction, latest edition.

PART 2 PRODUCTS

2.1 ADVANCE WARNING ARROW PANEL - TYPE "C" STATIONARY

- A. Advance warning device:
 - 1. Sign panel:
 - a. Hooded, amber colored design with sealed beam units attached.
 - b. Non-reflective black finish.
 - 2. Circuitry control unit:
 - a. Solid state unit capable of displaying "pass either side", "warning" and at least one of the "pass right" or "pass left" modes.
 - b. Light bulbs must be the same intensity.
 - c. Arrow panels equipped with a photoelectric cell activated by ambient light only and shielded from direct headlights. Must automatically dim the pane; to 50 percent of rated voltage at night.
 - d. Lamp flashing rate of 25 to 40 flashes per minute.
 - e. Warning mode flash frequency of approximately 22 times per minute.
 - f. Minimum "on-time" lamp duration of 50 percent for flashing arrow and 25 percent for sequential chevron.

3. Mounting frame on a pneumatic tire vehicle:
 - a. 6.8 ft clearance between the bottom edge of the sign panel and the roadway surface.
 - b. Frame and sign panel able to withstand 80 mph sustained winds and 104 mph intermittent gusts from any direction.
 - c. Panel capable of rotation on a horizontal axis.

2.2 CONSTRUCTION SIGN

- A. Refer to appropriate sections of the MUTCD and UDOT Standard Specifications.

2.3 BARRICADE - TYPE II AND TYPE III

- A. Refer to appropriate sections of the MUTCD and UDOT Standard Specifications.

2.4 PLASTIC BARRELS

- A. Refer to appropriate sections of the MUTCD and UDOT Standard Specifications.

PART 3 EXECUTION

3.1 ADVANCE WARNING ARROW PANEL - TYPE "C" STATIONARY

- A. Place in view of oncoming traffic without obstructing traffic flow.
- B. Remove from designated clear zone when not in use.

3.2 TRAFFIC CONTROL DEVICES

- A. Installing:
 1. Install traffic control devices by the time specified by the Station Supervisor.
 2. Maintain to ensure proper, continuous function.
 3. Wash devices weekly unless conditions warrant more frequent cleaning.
 4. Replace any device missing any part of the message or background.
- B. Channelizing devices: Use Type II barricades or drums. Use drums for taper on I-15, I-80 and I-215.
- C. Furnish a daily record of the number and location of all traffic control devices in use.
- D. Remove the devices from the designated clear zones when no longer required.

CHANGEABLE MESSAGE BOARD

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Furnish, operate and maintain a changeable message board powered by either gas, diesel or solar energy.

PART 2 PRODUCTS

2.1 DIESEL ENGINE

- A. Diesel engine, 5 HP, electric start with independent 12 volt battery.
 - 1. Safety shutdown for high temperature, low oil pressure or low oil level with a fuel filter.
 - 2. Auto start system: sign runs on battery power, system senses low battery and starts engines to recharge batteries. Shuts down when batteries are at full charge. Provides for an automatic start at low ambient temperatures.
 - a. Provision for operation on 120 vac power when available.

2.2 SOLAR POWER

- A. To have six (6) each, 75 watts high efficiency single crystal silicon cell panels minimum.

2.3 BATTERY

- A. To have sixteen (16) each. Six (6) volts, 217 amps, flooded, lead acid, deep cycle heavy duty batteries.

2.4 CHARGER

- A. To have built in charge capable of completely recharging the entire system from a default condition in less than 24 hours.

2.5 COMPLETE UNIT DIMENSION

- A. To be approximately 7.8 feet high in travel position.
- B. To be 13 feet minimum, high in raised position.
- C. To be approximately 12 feet long.
- D. To be 8 feet wide in travel position.
- E. To be between 9 feet and 10 feet wide in display position.
- F. Withstand wind gusts to 80 mph in display position with all jack stands set.

2.6 MESSAGE BOARD DIMENSIONS

- A. Overall - Approximately 6.3 feet high by 9.4 feet wide and 10 inches deep.
- B. Characters - To have three lines of eight characters each (approximately). Each character displayed in each line is clearly visible from 900 feet minimum.
- C. For night operations the board is to be illuminated by high output LED lights.
- D. Board to be enclosed in weather tight housing with clear polycarbonate front.

2.7 SIGN CONTROLLER

- A. Standard keyboard input. Keyboard designed for weather resistance.
- B. To have LCD display, eight lines by 40 characters approximately.
- C. Control of sign display including:
 - 1. Selecting stored standard messages.
 - 2. Creating messages with 64K of CMOS EPROM memory minimum.
 - 3. Sequence message.
 - 4. Controlling display time and flashing.
 - 5. Selecting arrows.
 - 6. Automatic control of lights. A password must be entered into the controller by the operator to modify sign message information.
 - 7. The dot-sign is unaffected by all types of RF interference. Other functions as standard for unit.

PART 3 EXECUTION

- A. Place 1000 feet prior to the flagger ahead sign.
- B. Set required message.
 - 1. Distances, when required, shall be shown in miles.
- C. Place in view of oncoming traffic without obstructing traffic.
- D. Remove board from view of oncoming traffic when not in use.

TRUCK MOUNTED IMPACT ATTENUATOR

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Provide operator and truck mounted attenuator. Truck mounted impact attenuator protection for moving construction in the traffic stream.

1.2 RELATED SECTIONS

- A. Advance warning arrow panel.

PART 2 PRODUCTS

- A. Truck mounted impact attenuator:
 - 1. Attach an advance warning arrow panel. Refer to proper section.
 - 2. Support vehicle weight of a minimum 15,000 lbs. to a maximum of 35,000 lbs.
 - 3. Attach 6 feet by 3 feet 'SLOW MOVING VEHICLE AHEAD" sign (black on orange), with letters 6 inches.
 - 4. Sign shall be mounted on the back of the attenuator truck.
 - 5. Truck mounted impact attenuator shall not be a distance less than 200 feet or more than 500 feet from vacuum/broom.

PART 3 EXECUTION

- A. Truck mounted impact attenuator is required during all construction and cleanup activities that are taking place in the traffic stream.

LIGHT PLANT

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Furnish, install, relocate and maintain lights as required.

1.2 REFERENCES

- A. Manual on Uniform Traffic Control Devices, latest edition.

PART 2 PRODUCTS

2.1 LIGHT PLANT

- A. Use portable (trailer mounted) electric generator operated or propane flood light systems approved by the project engineer.

PART 3 EXECUTION

- A. Installing:
 - 1. Place light plants at locations specified by the Station Supervisor.
 - 2. Determine adequacy of lighting system by driving through and observing the flood lighting area from each direction on the highway.
 - 3. Position lighting systems so that they do not cause glare to drivers on the highway.
- B. Furnish a daily record of the number and location of all devices in use.
- C. Remove from the designated clear zone when not in use.

SPEED MONITORING DEVICES

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Furnish, install, relocate and maintain speed monitoring devices as required.

PART 2 PRODUCTS

2.1 SPEED MONITORING DEVICE

- A. Use a speed monitoring device consisting of a trailer that contains a radar, batteries, speed boards, speed signs and a seven segment LED display from 18 inches to 10 inches tall, and includes a solar panel for conversion into electricity. Shall be approved by the Station Supervisor.

PART 3 EXECUTION

3.1 SPEED MONITORING DEVICE

- A. Installing:
 - 1. Place speed monitoring device at locations specified by the Station Supervisor.
 - 2. Position device to be visible in direct sunlight from a distance of 1,000 feet.
 - 3. Must have sufficient processing ability to track and the display shall be capable of displaying speeds up to 99 mph.
- B. Furnish a daily record of the number and location of all devices in use.
- C. Remove from the designated clear zone when not in use.

ATTACHMENT C: ITEMIZED PRICE LIST

Item #	Item Description	Units	Quantity	Unit Price
1	Traffic Control Supervisor	Hour	2,000	\$36.50
2	Construction Sign	ft ² *d	65,000	\$.15
3	Plastic Barrels	Dev*d	25,000	\$3.00
4	Barricades - Type II	Dev*d	1,000	\$.25
5	Barricades - Type III	ft*d	8,000	\$.10
6	Advance Warning Arrow Type C - Stationary	Hour	6,000	\$4.00
7	Changeable Message Board	Hour	3,000	\$8.00
8	Truck Mounted Impact Attenuator	Hour	50	\$10.00
9	Light Placnt	Hour	250	\$5.00
10	Speed Monitoring Device	Hour	4,000	\$2.00

NOTES:

ft²*d - one square foot of sign face installed for one calendar day or part of calendar day. The number of square feet of each sign will be computed to the nearest tenth of a square foot. Each day the sum of the area of all the in place sign faces will be rounded to the next whole square for payment purposes.

Dev*d - is defined as the number of devices used to control, direct or warn traffic per calendar day or part of calendar day.

ft*d - is defined as the number of linear feet of barricade placed per calendar day or part of a calendar day.

ATTACHMENT D: SPECIAL TERMS AND CONDITIONS

1. **CONTRACT ACCEPTANCE:** At the time the bid form is signed by the Offeror, the signature of the Offeror will be used as a legally binding signature, if awarded the contract. When signed by the Division of Purchasing/General Services and a Utah Department of Transportation representative and assigned a contract number, this document will become a legally binding contract for the period specified.
2. **CONTRACT INCLUSION:** The bid document, its terms and conditions as well as any counter offers which are accepted/acceptable to the State, shall be incorporated into and by reference become a part of this contract as though set forth in full herein.
3. **QUANTITY OR AMOUNT ESTIMATES:** The State does not guarantee to purchase any amount under this contract. Estimated amounts are for bidding purposes only and are not to be construed as a guarantee to purchase any amount.
4. **PRICING:** The Contractor agrees that the prices bid on materials/services in this contract shall be guaranteed for one year.

ANY CHANGE REQUEST ON PRICES MUST GUARANTEE THE PRICE FOR THE SAME LENGTH OF TIME AS INDICATED ABOVE AND MUST BE MADE AT LEAST THIRTY (30) DAYS PRIOR TO THE REQUESTED EFFECTIVE DATE. ANY SUCH REQUEST MUST INCLUDE SUFFICIENT DOCUMENTATION SUPPORTING THE REQUEST. REQUESTS FOR CHANGE ON ANY PRICING IN THIS CONTRACT SHALL NOT BE EFFECTIVE UNTIL IT IS APPROVED BY THE PROCUREMENT SUPERVISOR OR THE PROCUREMENT MANAGER OF THE UTAH DEPARTMENT OF TRANSPORTATION.

5. **WAGES:** The Contractor shall be responsible for all applicable company wages in accordance with the federal, state, and local laws and ordinances.
6. **INVOICING:** **THE CONTRACT NUMBER AND ORDER NUMBER MUST APPEAR ON ALL INVOICES, BILLS OF LADING, PACKAGES AND ALL CORRESPONDENCE RELATING TO EACH ORDER AND DELIVERY.**

The State reserves the right to adjust incorrect invoices. The Contractor shall submit invoices to the Utah Department of Transportation, Region Two, 2010 South 2760 West, Salt Lake City, Utah, 84104-4592. The State will remit payment by mail.

ATTACHMENT D: SPECIAL TERMS AND CONDITIONS

7. **NON-ASSIGNMENT**: The Contractor shall not sublet, assign or transfer any part of the contract without prior written approval from the Procurement Supervisor or the Procurement Manager of the Utah Department of Transportation. The provision of monies due under this contract shall not be assignable without prior written approval from the Procurement Supervisor or the Procurement Manager of the Utah Department of Transportation.
8. **NON-COMPETE CLAUSE**: The Contractor represents its officers and employees are free to contract with the State and are not subject to restrictions by the terms of their present employment including, but not limited to an agreement not to compete for a period of time unless disclosure has been made. A Contractor must disclose to the State any possible conflict, in writing, before the contract is signed and the State will evaluate whether to continue with contract execution. The State may elect to terminate a contract immediately with a Contractor who is subsequently determined to be subject to such restrictions without liability to the State. If the State elects to terminate a contract for this reason, the State will supersede paragraph #12 in Attachment A - Standard Terms and Conditions and will not provide 30 day prior notice to the Contractor.
9. **LIQUIDATED DAMAGES**: Contractor shall be penalized for causing any delay in setting up or placing traffic control. If the traffic control is not in place by the time specified by the State, Contractor shall be assessed \$500.00 for each half hour over the time specified. This clause also applies to "emergency situations" and "normal set up". The State will keep time records.